



OPEN ACCESS

'Climate change mitigation is a hot topic, but not when it comes to hospitals': a qualitative study on hospital stakeholders' perception and sense of responsibility for greenhouse gas emissions

Claudia Quitmann , Rainer Sauerborn, Ina Danquah, Alina Herrmann

► Additional supplemental material is published online only. To view, please visit the journal online (<http://dx.doi.org/10.1136/medethics-2021-107971>).

Heidelberg Institute of Global Health (HIGH), Faculty of Medicine and University Hospital, Heidelberg University, 69120 Heidelberg, Germany

Correspondence to

Claudia Quitmann, Heidelberg Institute of Global Health (HIGH), Faculty of Medicine and University Hospital, Heidelberg University, 69120 Heidelberg, Germany; claudia.quitmann@uni-heidelberg.de

Received 28 October 2021
Accepted 11 April 2022

ABSTRACT

Objective Physical and mental well-being are threatened by climate change. Since hospitals in high-income countries contribute significantly to climate change through their greenhouse gas (GHG) emissions, the medical ethics imperative of 'do no harm' imposes a responsibility on hospitals to decarbonise. We investigated hospital stakeholders' perceptions of hospitals' GHG emissions sources and the sense of responsibility for reducing GHG emissions in a hospital. **Methods** We conducted 29 semistructured qualitative expert interviews at one of Germany's largest hospitals, Heidelberg University Hospital. Five patients, 12 clinical and 12 administrative employees on different levels were selected using purposive maximum variation sampling. Interviews were transcribed verbatim and analysed using the framework approach.

Results Concerning GHG emissions, hospital stakeholders perceived energy and waste as most relevant emission sources followed by mobility. Climate change mitigation in general was considered as important. However, in their role as patients or employees, hospital stakeholders felt less responsible for climate change mitigation. They saw providing best possible medical care to be the top priority in hospitals and were often concerned that patients' health could be jeopardised by climate change mitigation measures.

Conclusion Perceptions of most important emission sources did not coincide with those in literature, highlighting the need to inform stakeholders, for instance, about pharmaceuticals as important emission source. A frequently perceived conflict between reducing emissions and providing high-quality medical care could be eased, if reducing emissions would not only be justified as a contribution to mitigation, but also as a contribution to preventing ill health—a basic principle of medical ethics.

INTRODUCTION

Worldwide, anthropogenic climate change is increasingly impacting physical and mental health. Heat-related deaths, allergic diseases or post-traumatic stress disorder due to extreme weather events, are examples of the many health impacts.¹ The health sector, and hospitals as part thereof, are seen as key to adapting to these health impacts. In contrast, hospitals' role as an important emitter of greenhouse gas (GHG) emissions and thus a potential contributor to mitigation is less well known and hardly on the political agenda.² 4.4% of global³ and 6.7% of German GHG emissions⁴ are estimated to

stem from the health sector, including GHG emissions related to energy and upstream and downstream processes, for example, along supply chains and disposal of medical instruments or pharmaceuticals. Hospitals account for about one-third of these GHG emissions.⁴ Thus, hospitals do not only protect people from negative health impacts of climate change, but also contribute to worsening them.

The Paris Agreement, 'potentially the strongest health agreement of the century',⁵ aims at limiting global warming to 2°C and even calls for efforts not to exceed 1.5°C.⁶ Medical associations endorse this aim and see a responsibility to reduce the health sectors' GHG emissions based on ethical premises.⁷ Medical ethics considerations are often based on four principles: autonomy, beneficence, non-maleficence and justice.⁸ If the health sector does not respond to climate change, it fails at least to meet the last three of these principles: beneficence, by failing to preserve people's health now and in the future; non-maleficence, by failing to prevent climate change-related harms; justice, by increasing (global) inequities, for instance, resulting from which populations cause the most GHG emissions and which populations suffer the most from climate change impacts.⁹

The transformation towards climate-neutral hospitals requires the engagement of various hospital stakeholders, such as doctors, administrators, nurses and patients.¹⁰ Stakeholders can be considered 'any group or individual who can affect or is affected by the achievement of the organisation's objectives'.¹¹ Most doctors are aware of the anthropogenic nature of climate change and related health consequences.¹² However, hospital stakeholders' perceptions of relevant GHG emission sources in hospitals has received little scientific attention so far. Meanwhile, it is a prerequisite that stakeholders develop environmental awareness in the hospital context to make informed decisions about mitigation measures.¹³

Beyond perceptions of emissions, the sense of responsibility also is important: do hospital stakeholders feel responsible for reducing GHG emissions in the hospital they are affiliated with? Few studies have raised this question to date.^{14–16} Personal and operational aspects shape the sense of responsibility for environmentally friendly behaviours. These aspects comprise values, attitudes and locus of control.¹³ More specifically, values are personal



© Author(s) (or their employer(s)) 2022. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

To cite: Quitmann C, Sauerborn R, Danquah I, et al. *J Med Ethics* Epub ahead of print: [please include Day Month Year]. doi:10.1136/medethics-2021-107971

or commonly accepted principals and judgements about what holds importance in life.¹⁷ Attitudes describe persistent positive or negative feelings towards a topic.¹³ Regarding healthcare, specific values and attitudes are those underlying practices of empathetic, safe and ethical care.¹⁸ Regarding the environment, values and attitudes are those that guide human behaviour towards the environment.¹⁹ Locus of control represents a person's perception of having (internal locus of control) or not having (external locus of control) the ability to effect change through the own behaviour.¹³

The urgency to address climate change is great.¹ While the English National Health Service is leading by example, aspiring a net-zero health system by 2045,²⁰ this issue is less present in the German health sector. Thus, this study aimed at examining hospital stakeholders' perception of the main sources of GHG emission and characterising their sense of responsibility for climate change mitigation (hereafter: mitigation) in a German hospital.

METHODS

Research design

We conducted semistructured qualitative expert interviews²¹ with stakeholders in one of Germany's largest hospitals, Heidelberg University Hospital. The study is part of a broader research project at this hospital, which assesses GHG emissions and implements mitigation measures.

Sampling and recruitment

A purposeful, maximum variation technique was applied.²² Based on literature search and team discussion, we wanted to reach maximum variation in the sample regarding participants' function in the hospital, age and gender (online supplemental appendix 1). Recruitment took place from November 2020 to March 2021. To recruit employees, 50 administrative and clinical employees were identified via the website of the studied hospital and contacted by email. Reminders were sent via email. The response rate was 48% (24 clinical and administrative participants). Administrative stakeholders were chosen according to their responsibility for areas related to the hospital's GHG emissions based on literature.^{20, 23} Contacts to upper management positions were partially provided and facilitated by a contact person in a middle management position. To recruit patients, we contacted 19 self-help groups affiliated with the hospital via email. We thus recruited five participants who were inpatients or outpatients of the studied hospital. Recruitment on site was not possible due COVID-19-related constraints.

Expert interviews

Expert interviews were conducted using a semistructured interview guide (online supplemental appendix 2). The interview guide covered three main themes: General attitude towards mitigation, perception of hospitals' GHG emissions and main emission sources, enabling and hindering factors for mitigation measures in this hospital. Questions addressed GHG emissions, not broader environmental impacts.

With regard to the perception of GHG emission sources, categories and subitems were created inductively; qualitative data were counted and reflected with numerical data in the results to illustrate trends.

After exploring participants' perceptions of emission sources in open questions, they were shown data on main sources of GHG emissions of the English 'National Health Service' (online supplemental appendix 3): energy including fuels and electricity

(16%), medical instruments and equipment (13%), pharmaceuticals (12%), mobility of patients, staff, visitors (11%), food and catering (6%). We informed participants that NHS data refers to the entire healthcare system and not specifically to hospitals.

As part of the enabling and hindering factors, the sense of responsibility was discussed. Further results about enabling and hindering factors regarding mitigation measures will be reported elsewhere.

Data analysis

Interviews were audiorecorded and transcribed verbatim, supported by the software 'f4x'.²⁴ Data were analysed using the framework approach,²⁵ a qualitative content analysis technique for applied policy research comprising five steps: By transcribing and reading the interviews, the familiarisation (step 1) was accomplished. While analysing the data, a thematic framework was developed (step 2) and the transcripts were indexed (=coded) (step 3) using the software 'NVivo'.²⁶ An overview of the data was obtained through charting them (step 4). Finally, the data were mapped and interpreted (step 5). A second person performed steps 1–3 independently for three interviews to triangulate the main investigator's codes. In steps 4 and 5, senior investigators were closely involved to discuss the data and their abstract levels of meaning. While the analysis process was mainly conducted inductively, a deductive framework with the categories 'attitudes', 'values' and 'locus of control' was applied to the theme of 'sense of responsibility' as it proved suitable to structure the data in a meaningful way.¹³ The subcategories for values were also applied deductively.^{18, 19}

RESULTS

Sample description

Our sample consisted of 29 stakeholders: five patients, twelve administrative and twelve clinical employees. Clinical employees included six nurses, five doctors and one pharmacist. For more details see online supplemental appendix 4.

Data saturation was reached after 26 interviews.²⁷ We conducted three more interviews to ensure that no additional themes emerged. On average, the interviews took 37 minutes. Four interviews were conducted in person, seven by telephone and 18 used video conferencing tools, given COVID-19-related restrictions during data collection. Three participants did not consent to audiorecording, so notes were taken during these interviews instead.

Perceptions of hospitals' GHG emission sources

Table 1 presents the overview of emission sources and related subitems mentioned by participants. Almost all participants stated, they had never thought about GHG emission sources in hospitals before the interview. Nonetheless, this topic was seen as interesting and helpful.

Energy and waste were not only perceived as main emission sources when participants were asked directly but were also recurring themes throughout the entire interviews. Energy was considered an obvious emission source. Few participants distinctly referred not only to GHG-related impacts of waste, but also to harmful presence of waste in the nature. Waste, especially packaging waste and the disposal of disposable medical instruments, were prominent because of their tangibility, visibility and increase in daily hospital life:

When I look at the garbage we create in one day in one shift, I work in an intensive care unit, and what we create there in one shift in

Table 1 Emission sources and subitems mentioned by the participants (created by the authors)

Mentioned emission sources*	Most frequently mentioned subitems of the emission source†
Energy (n=21)	Heating and cooling (n=15) Medical devices (eg, MRI or CT scans) (n=7) Sterilisation and laundry (n=5)
Waste (n=17)	Packaging waste (n=6) Disposable medical instruments, especially their disposal (n=6) Waste incineration (n=3)
Mobility (n=10)	Mobility of staff (n=4) Hospital's fleet and logistics (n=4) Mobility of patients (n=2)
All other	Anaesthetic gases (n=5) Pharmaceuticals (n=4) Food (n=4) Disinfectants and detergents (n=3) Paper (n=2) Water purification (n=1)

*n indicates the number of participants who mentioned the listed categories of emission sources or subitems (categories and subitems were created inductively; qualitative data were counted and reflected with numerical data to illustrate trends).

†Subitems were formed from responses to the following open-ended question: 'Which sources contribute strongly to a hospital's GHG emissions, for example, this hospital?'

GHG, greenhouse gas.

one day: It's always whole bags full of it. And it's INSANE. (B2, clinical staff, female, 29).

Although the use of disposable medical instruments was not appreciated, it was often seen as necessary for patient safety:

Yes, but there are quite a lot of disposable materials, materials that end up in the patient's body, that somehow get inserted into the skin like catheters. That will never be changed. (B13, clinical staff, male, 36).

However, there were also disposables whose use was perceived to be incomprehensible; these were disposable, which usually are not in direct patient contact or at least not in contact with wounds (eg, laundry bags, tourniquets). Many participants mentioned they attempted to reduce packaging waste in their

private life and saw waste as a publicly discussed topic associated with negative emotions:

A huge, huge issue, HUGE issue. We're choking on garbage. (B15, clinical staff, female, 57).

Other emission sources were mentioned less often.

Participants frequently commented on the shown NHS data, but not necessarily on all five emission sources. Participants' reactions were assigned to three inductively created categories: 'expected', 'unexpected, but comprehensible' and 'surprising' (see table 2). While emissions related to energy and medical instruments and equipment were generally expected, some participants commented that they tended to overestimate their share of total emissions. Regarding mobility emissions, some participants had not expected them to be part of hospitals' emissions, because they found them to occur outside of hospitals' premises. Particularly pharmaceuticals were often perceived as a surprise, because participants said they had never thought about this before.

Sense of responsibility to reduce GHG emissions

Considerations regarding participants' sense of responsibility to mitigate climate change in their current role as hospital stakeholders was an important theme emerging early during the first interviews as part of enabling and hindering factors. Thus, the interview guide was expanded to include explicit questions about the sense of responsibility. The initial participants were not re-interviewed because the interviews had already sufficiently covered it.

Most participants perceived a sense of responsibility for mitigation in the hospital to some degree. The sense of responsibility (figure 1) is shaped by values, attitudes and locus of control, as described in the introduction.¹³ Values and attitudes related to both healthcare and the environment were strong among participants. However, they often seemed to clash, when discussing mitigation measures in the hospital. Responsibility to pursue healthcare values and attitudes was prioritised in their role as hospital stakeholder. The sense of responsibility for mitigating climate change in the hospital was further weakened by the prevailing perception of not being able to influence action (external locus of control).

Next, we will describe participants' healthcare and environmental values and attitudes as well as their locus of control more specifically.

Values

Healthcare¹⁸ and environmental¹⁹ values were mentioned, when talking about the sense of responsibility regarding mitigation in

Table 2 Participants' reactions to the English National Health Service (NHS) data on the health sector's GHG emissions (created by the authors)

Reactions after being shown NHS data	Emission source (% of GHG emissions of the NHS)	Quotes
Expected	Energy including fuels and electricity (16)	Of course, energy is an important factor, like electricity and heating. (B15, clinical staff, female, 57)
	Medical instruments and equipment (13)	All this single-use production is a huge issue. I can't imagine it any other way. (A2, administrative staff, male, 30)
Unexpected, but comprehensible	Mobility of patients, staff, visitors (11)	Yes, well, mobility was not on my mind at all, because I was thinking about the [hospital] site itself. (A13, administrative staff, female, 44)
	Food and catering (6)	I must admit that I hadn't really thought about food. But this is a huge impact on the environment that we make. Intensive livestock farming, meat, the amount of meat. (A9, administrative staff, male, 47)
Surprising	Pharmaceuticals (12)	What surprises me(...) is that the pharmacological products are so problematic. I wouldn't have thought that actually, because they're such small, inconspicuous pills. (B1, clinical staff, male, 49)

GHG, greenhouse gas.




Figure 1 Hospital stakeholders' sense of responsibility to reduce GHG emissions in the studied Hospital (created by the authors). GHG, greenhouse gas.

general and in the hospital (table 3). Some quotations already hint at potential conflicts between healthcare and environmental values. This will be discussed in detail in the attitudes section.

Most participants expressed several of the healthcare values shown in table 3. One participant assumed that health professionals are particularly willing to mitigate climate change because their motivation is to help people, but that they usually help immediately and not in a future-oriented way as in the case of mitigating climate change. About half of the participants indicated a sense of altruism towards ecosystems or other species (biospheric altruism), which was often directly or indirectly related to mitigation. Some expressed a self-interest in mitigation. It was rare, that a sense of altruism towards all humanity was addressed (humanistic altruism).

Attitudes

Attitudes illustrated in this section address the issue of mitigation in the hospital more specifically than values (table 4). Stakeholders often perceived best patient care and mitigation as conflicting aims (eg, infections from reusable medical instruments, limited medical imaging if energy consumption had to be considered).

Immediate patient care, currently COVID-19, was mentioned as unchallenged priority. Thus, GHG emissions were partially considered as unavoidable and participants felt legitimised to not prioritise mitigation in hospitals due to the higher aim of patient care. Only very few participants, who had already been engaged in the climate change and health movement, saw hospitals as places of healing with a special moral obligation to combat climate change. Participants very rarely addressed health cobenefits of mitigation measures, negative health impacts of climate change, and that hospitals could help reduce the latter by implementing mitigation measures. An example for health cobenefits of mitigation measures is evidence-based prescription of pharmaceuticals, which can reduce GHG emissions as well as potential side effects in patients.²⁸ When approached about evidence-based prescribing, participants named health benefits as reasons for interventions already implemented but were not making the connection to mitigation.

On the other hand, the environmental attitudes identified show that most participants paid attention to mitigation in their private life. Therefore, most participants also felt that mitigation in hospitals was important and overdue.

Table 3 Codes and illustrative quotes regarding healthcare values and environmental values (created by the authors)

Category	Code	Quote
Healthcare values	Commitment to providing best and most effective care	If I were to ask a professor if he pays attention to the energy consumption of his(CAT/ MRI)scanner, he would say: image quality is crucial, not energy consumption (...). (A4, administrative staff, male, 55)
	Motivation to help and heal	The focus is on restoring people's health, either through medicine or care work. But to this idea of 'I also have to use resources responsibly' (...). People say things like 'our current approach makes sense from a hygiene standpoint', or 'it's safer this way' and I think we have to rethink our approach here. (B15, clinical staff, female, 57)
	Commitment to doing no harm	Of course, this is a process [reprocessing of medical instruments], where you really have to have confidence as a patient, that the procedures being used will not be harmful. And I think there are many patients who then say: 'No, then rather at the expense of the environment and not at the expense of their own survival', because blood poisoning or its consequences are not fun. (B10, patient, female, 44)
Environmental values	Biospheric altruism	I am vegetarian because of animal welfare, but also for climate change mitigation reasons. (A7, administrative staff, male, 45)
	Self-interest	Climate change mitigation is basically health protection.(...)when I walk through a street with a lot of car traffic, I actually get coughing attacks, for example. My respiratory system can't stand it. (B14, patient, female, 71)
	Humanistic altruism	The necessity to somehow focus on that [climate change mitigation] in order to leave the world, the way it currently is for future generations. I think it's a very important issue. (A5, administrative staff, female, 53)

Table 4 Codes and illustrative quotes regarding healthcare and environmental attitudes (created by the authors)

Category	Code	Quote
Healthcare attitudes	Immediate patient care as main priority	So, the priority is patient care. And after that comes patient care, then patient care. Stop, full stop, finish. (A1, administrative staff, male, 61)
	Legitimised to prioritise patient care, if perceived to be compromised by mitigation measures	Patient welfare simply has priority over climate change mitigation. That's just how it is. This is how it should be. No one is supposed to leave the gloves on from patient to patient for environmental reasons, or like yeah, spray less disinfectant. (A13, administrative staff, female, 44)
	Places of healing with special duty to reduce GHG emissions	As a doctor, you are not exempt from thinking that everything is centered on the patient and that this justifies everything.(...)But actually the opposite is the case, if you are responsible for people, you should actually ensure (...) that you also act in the interests of people in other areas [waste separation, climate change mitigation](...). (B1, clinical staff, male, 49)
	Mitigation measures as health promotion and protection	If you had an infectious disease,(...), I don't just mean COVID, but all of them.(...)It [online medical consultations] also minimizes the risk of infecting someone else. This is, of course, an advantage in addition to reduced travel and related GHG emissions. (B6, clinical staff, male, 55)
Environmental attitudes	Mitigation important in private life	Well, we all have a guilty conscience. We all want to change something [regarding climate change mitigation] and, as I said, I'm already trying to change a lot in my private life. (A9, administrative staff, male, 47)
	Mitigation overdue in hospitals	It [mitigation at the hospital] is now really overdue. (...) Because I somehow feel like we're not doing anything at all here at the hospital. (B8, clinical staff, male, 59)

GHG, greenhouse gas.

Locus of control

Participants often addressed whether they have the ability to influence the implementation of mitigation measures through their own behaviour.

Frequently, participants perceived no opportunity to advance mitigation at the hospital (external locus of control). They described an insufficient personal scope of influence, for example, '*SUPER little room for manoeuvre*' regarding vegan food offers for patients (B2, clinical staff, female, 29). Moreover, they reported that suggestions were rejected or ignored by higher management levels.

Few participants expressed that they felt able to initiate small mitigation measures at the hospital when forming a group of like-minded (internal locus of control). One participant in a high management position described feeling empowered by his position to '*simply open the doors [for mitigation measures]*' (A11, administrative staff, male, 55).

DISCUSSION

Strengths and limitations

This study is the first to comprehensively explore stakeholders' perceptions of emission sources and responsibility to mitigate climate change in a German hospital. The qualitative design and focus on one hospital do not allow to generalise the results. But as results correspond to findings in literature, it seems feasible to transfer them to similar contexts.

Overall, different stakeholder groups in the sample showed similar results. However, due to the small sample size, an analysis of subgroups was not possible and could be subject to further research. Also, we cannot rule out any form of social desirability bias.

Due to the COVID-19 pandemic, interviews had mainly to be conducted via videoconferencing systems or telephone, which was shown to be a good alternative to face-to-face interviews.²⁹

Raising awareness for the amount and sources of GHG emissions in the health sector

Although the health sector contributes to 4.4% of net global GHG emissions,³ little attention has been paid to mitigation in the health sector compared with other sectors.³⁰ This was also reflected in our sample, as most participants were unaware of how hospitals contribute to climate change: While the majority

perceived energy and waste as main emission sources, scientific results show that medical goods and energy, followed by pharmaceuticals, are the main ones.^{23,31} Awareness of enormous amounts of hospital waste and desires to reduce it are also found in other research.³² However, focusing on GHG emissions, waste contributes relatively little.³¹ Waste has many other detrimental impacts on ecosystems and biota that were indicated by participants but were not a focus of this study and will not be discussed further here. A quantitative study among medical, nursing and physician assistant students showed that the health sector's GHG emissions and the burden of disease linked to the health sector's pollution are usually underestimated.³³

As known from health innovation implementation, hospital stakeholders have to perceive a need for innovation in order to implement changes.³⁴ Regarding mitigation in hospitals, stakeholders' perceptions of main GHG emission sources are essential for effective action^{13,35}: If, as in the case of our participants, the contribution of certain emission sources is overestimated (eg, waste), there is a risk that mitigation measures with little GHG saving-potential will be implemented. Consequently, awareness and knowledge of hospitals' contribution to climate change must be increased, for example, through compulsory integration in university medical curricula and continued medical education of healthcare staff.³⁶ Only then, a sufficient share of hospital stakeholders will have the ability to reflect on the responsibility of the health sector.

Reconciling healthcare and environmental values and attitudes

In line with the German population, participants saw mitigation as an important issue.³⁷ However, as in studies with other hospital stakeholder groups, it appeared that beneficence through mitigating climate change was seen as subordinate priority compared with beneficence through immediate patient care.¹⁴⁻¹⁶ In the hospital context, as our study showed, there is often a significant concern about harming patients, while in the general context, mitigation measures predominantly raise concerns about limited personal freedom and imposed financial burdens.³⁸ Results from a study comparing per capita GHG emissions from the health sector in different US states indicate that reduced GHG emissions do not compromise the quality of health systems.³⁹ Various mitigation measures have already been

shown not to jeopardise patients' health, including utilising reusable surgical gowns or laparoscopic instruments.^{40–41} Nonetheless, with regard to a variety of products and processes, hospital stakeholders currently lack sufficient data on GHG emissions⁴² and patient outcomes. Several mitigation measures, however, are known to even embody the principle of beneficence due to direct (individual climate-friendly behaviour leading to positive health effects) and indirect (collective action leading to positive health effects) health cobenefits; for example, eating plant-based food or using non-motorised transportation.⁴³ Although health cobenefits are said to be the 'greatest health opportunity of the 21st century',⁴⁴ they were rarely addressed by the participants. A strong focus on curative medicine may have contributed to this,⁴⁵ as health cobenefits are often rather on the level of disease prevention. Direct and indirect health cobenefits of mitigation measures can increase the willingness to implement them. Therefore, they are a powerful, currently unexploited resource for climate change communication with hospital stakeholders.⁴⁶ Moreover, non-evidence-based assumptions that certain climate-friendly alternatives harm patients should be corrected through education. This can reconcile healthcare and environmental values and attitudes, thereby strengthening the sense of responsibility for mitigation in hospitals. For interventions that currently lack data on GHG emissions and patient outcomes, both should be evaluated.

Increasing medical ethics considerations to guide climate change mitigation in hospitals

Among medical societies, there is an increasing discourse about the responsibility of the health sector, including hospitals, to mitigate climate change. Based on considerations consistent with medical ethics principles, medical societies conclude that hospitals must reduce their GHG emissions.^{7–47} This rationale was rarely taken up by participants and even at odds with their perceptions, as they partially saw medical ethics principles threatened by mitigation measures, as further discussed above. If evidence-based conflicts arise between mitigation and high-quality patient care, medical ethics can help evaluate and balance patients' needs and mitigation considerations. Yet, drawing on the examples of overdiagnosis and overtreatment, it seems likely that there are more areas where reducing GHG emissions and promoting health could go hand in hand. For example, the widespread use of non-beneficial treatments at the end of life⁴⁸ reflects the complexity and need for ethical considerations in this area.

Integrating medical stakeholders at all levels into mitigations strategies

As our research showed, motivated participants were partly discouraged from implementing mitigation measures because they felt unable to effect change due to lacking support from their superiors or colleagues. Thus, it is important that governing structures of hospitals commit to climate change mitigation and the sustainable use of resources as a guiding principle in their organisation.⁴⁹ Environmental management systems and green teams should be established to integrate patients and staff on all levels into implementing changes.⁵⁰ The resulting feeling of being able to effect change through own actions strengthens stakeholders' internal locus of control and thus, the sense of responsibility for mitigation in hospitals.

Conclusion

The urgency of climate change and its health impacts require action by the health sector. To promote climate-friendly hospitals

and to make mitigation effective, stakeholders at all levels should be made aware of hospitals' contribution to climate change. The common (mis-)perception that mitigation measures jeopardise quality of care should be overcome by emphasising, that many mitigation measures have (in)direct health cobenefits or can be implemented while maintaining high quality of care. Finally, climate-friendly hospitals can strengthen fundamental medical ethics principles—beneficence, nonmaleficence and justice—by preserving health and preventing climate change-related harm to people worldwide.

Acknowledgements We thank all patients and employees of Heidelberg University Hospital, who have taken part in the interviews and made this research possible. We acknowledge financial support by the Else Kröner-Fresenius-Stiftung within the Heidelberg Graduate School of Global Health. Moreover, we would like to thank Dr. rer. medic. Saskia Wilhelmy of the "Institut für Geschichte, Theorie und Ethik der Medizin" (RWTH Aachen) for comments and help to refine the manuscript.

Contributors CQ, RS and AH were responsible for the study concept and design. CQ conducted the interviews and coded the data. AH had oversight of the coding of the data. The data were interpreted by all authors. CQ wrote the original draft while RS, ID and AH reviewed and edited the draft and the visualisations. All authors critically revised the manuscript for important intellectual content. RS and AH supervised the study. All authors gave final approval of the work to be published. CQ is the guarantor of this publication.

Funding This study was funded by Nationale Klimaschutz Initiative (03KF0150B); Else Kröner-Fresenius-Stiftung; Robert Bosch Stiftung (01000035-002). For the publication fee we acknowledge financial support by Deutsche Forschungsgemeinschaft within the funding programme „Open Access Publikationskosten" as well as by Heidelberg University.

Disclaimer The Else-Kröner-Fresenius-Stiftung, Nationale Klimaschutz Initiative and Robert Bosch Stiftung had no role in the design, execution, interpretation or writing of this study.

Competing interests AH is member of the German Climate Change and Health Alliance (KLUG e.V.). The other authors declare no competing interests.

Patient consent for publication Not applicable.

Ethics approval The study protocol was approved by the ethical board of the medical faculty of Heidelberg University (sign S-497-2020). The staff council of Heidelberg University Hospital approved the study. All participants were informed about the study and gave written informed consent. Permission to audiorecord the interview was given voluntarily.

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement Data are available on reasonable request.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iD

Claudia Quitmann <http://orcid.org/0000-0002-6470-8847>

REFERENCES

- Haines A, Ebi K. The imperative for climate action to protect health. *N Engl J Med* 2019;380(3):263–73.
- Quitmann C, Sauerborn R, Herrmann A. Gaps in reporting greenhouse gas emissions by German Hospitals—A systematic grey literature review. *Sustainability* 2021;13(3).
- Health Care Without Harm. Health Care's Climate Footprint - How the Health Sector Contributes to the Global Climate Crisis and Opportunities for Action London, 2019. Available: https://noharm-global.org/sites/default/files/documents-files/5961/HealthCareClimateFootprint_092319.pdf [Accessed 21 Oct 2021].

- 4 Pichler P-P, Jaccard IS, Weisz U, *et al.* International comparison of health care carbon footprints. *Environ Res Lett* 2019;14(6).
- 5 Tedros Adhanom Ghebreyesus, 2018. Available: <https://www.who.int/news/item/05-12-2018-health-benefits-far-outweigh-the-costs-of-meeting-climate-change-goals> [Accessed 05 Mar 2021].
- 6 United Nations. *Paris agreement. Report of the conference of the parties to the United Nations framework convention on climate change (21st session, 2015)*, 2015.
- 7 World Medical Association General Assembly. Wma Declaration of Delhi on health and climate change 2017. Available: <https://www.wma.net/policies-post/wma-declaration-of-delhi-on-health-and-climate-change/> [Accessed 14 May 2021].
- 8 Beauchamp TL, Childress JF. *Principles of biomedical ethics*. 5th ed. Oxford University Press, USA, 2001.
- 9 Frumkin H, Hess J, Luber G, *et al.* Climate change: the public health response. *Am J Public Health* 2008;98(3):435–45.
- 10 Kallio H, Pietilä A-M, Johnson M, *et al.* Environmental responsibility in hospital care: findings from a qualitative study. *J Hosp Adm* 2018;7(5).
- 11 Freeman RE. *Strategic management: a stakeholder approach*. Cambridge university press, 2010.
- 12 Sarfaty M, Kreslake J, Ewart G, *et al.* Survey of international members of the American thoracic Society on climate change and health. *Ann Am Thorac Soc* 2016;13(10):1808–13.
- 13 Kollmuss A, Agyeman J. Mind the gap: why do people act environmentally and what are the barriers to pro-environmental behavior? *Environ Educ Res* 2002;8(3):239–60.
- 14 Dunphy JL. Enhancing the Australian healthcare sector's responsiveness to environmental sustainability issues: suggestions from Australian healthcare professionals. *Aust Health Rev* 2013;37(2):158–65.
- 15 Anåker A, Nilsson M, Holmner Åsa, *et al.* Nurses' perceptions of climate and environmental issues: a qualitative study. *J Adv Nurs* 2015;71(8):1883–91.
- 16 Seifert C, Guenther E. Who cares?—Stakeholder relevance for voluntary environmental management in hospitals. *Corp Soc Responsib Environ Manag* 2020.
- 17 Brown L. *The new shorter Oxford English dictionary on historical principles*. N-Z: Clarendon Press, 1993.
- 18 Rider EA, Kurtz S, Slade D, *et al.* The International charter for human values in healthcare: an interprofessional global collaboration to enhance values and communication in healthcare. *Patient Educ Couns* 2014;96(3):273–80.
- 19 Dietz T, Fitzgerald A, Shwom R. Environmental values. *Annu Rev Environ Resour* 2005;30(1):335–72.
- 20 NHS England. Delivering a 'Net Zero' National Health Service, 2020. Available: <https://www.england.nhs.uk/greenernhs/wp-content/uploads/sites/51/2020/10/delivering-a-net-zero-national-health-service.pdf> [Accessed 27 Nov 2020].
- 21 Meuser M, Nagel U. *Experteninterview—konzeptionelle Grundlagen und methodische anlage. Methoden Der vergleichenden Politik-und Sozialwissenschaft: Springer*, 2009: 465–79.
- 22 Patton MQ. *Sampling, qualitative (purposeful). The Blackwell encyclopedia of sociology*, 2015.
- 23 Weisz U, Pichler P-P, Jaccard IS, *et al.* Carbon emission trends and sustainability options in Austrian health care. *Resour Conserv Recycl* 2020;160(5).
- 24 dr. dresing & pehl GmbH. f4x Software 2020. Available: <https://www.audiotranskription.de/f4x/> [Accessed 21 Oct 2021].
- 25 Ritchie J, Spencer L. *Qualitative data analysis for applied policy research. The qualitative researcher's companion*. California: M. Huberman, M.B. Miles, 2002: 305–29.
- 26 QSR international Pty Ltd. NVivo 12 2020. Available: <https://www.qsrinternational.com/nvivo-qualitative-data-analysis-software/home> [Accessed 21 Oct 2021].
- 27 Marshall MN. Sampling for qualitative research. *Fam Pract* 1996;13(6):522–6.
- 28 Maughan DL, Lillywhite R, Cooke M. Cost and carbon burden of long-acting injections: a sustainable evaluation. *BJPsych Bull* 2016;40(3):132–6.
- 29 Archibald MM, Ambagtsheer RC, Casey MG, *et al.* Using zoom videoconferencing for qualitative data collection: perceptions and experiences of researchers and participants. *Int J Qual Methods* 2019;18.
- 30 Ulhøi JP, Ulhøi BP. Beyond climate focus and disciplinary myopia. The roles and responsibilities of hospitals and healthcare professionals. *Int J Environ Res Public Health* 2009;6(3):1204–14.
- 31 Sustainable Development Unit. Reducing the use of natural resources in health and social care - 2018 report, 2018. Available: <https://www.sduhealth.org.uk/policy-strategy/reporting/natural-resource-footprint-2018.aspx> [Accessed 08 Aug 2020].
- 32 Thiel C, Duncan P, Woods N. Attitude of US obstetricians and gynaecologists to global warming and medical waste. *J Health Serv Res Policy* 2017;22(3):1355819617697353:162–7.
- 33 Ryan EC, Dubrow R, Sherman JD, Medical SJD. Medical, nursing, and physician assistant student knowledge and attitudes toward climate change, pollution, and resource conservation in health care. *BMC Med Educ* 2020;20(1):200.
- 34 Durlak JA, DuPre EP. Implementation matters: a review of research on the influence of implementation on program outcomes and the factors affecting implementation. *Am J Community Psychol* 2008;41(3-4):327–50.
- 35 CLIRE. Simple steps to reduce the climate impact of healthcare, 2016. Available: <https://webgate.ec.europa.eu/life/publicWebsite/project/details/3159> [Accessed 27 Nov 2020].
- 36 Teherani A, Nishimura H, Apatira L, *et al.* Identification of core objectives for teaching sustainable healthcare education. *Med Educ Online* 2017;22(1):1386042.
- 37 Bundesministerium für Umwelt Naturschutz und nukleare Sicherheit (BMU). Umweltbewusstsein in Deutschland 2018 - Ergebnisse einer repräsentativen Bevölkerungsumfrage, 2019. Available: https://www.bmu.de/fileadmin/Daten_BMU/Pool/Broschueren/umweltbewusstsein_2018_bf.pdf [Accessed 21 Oct 2021].
- 38 Rossa-Roccor V, Giang A, Kershaw P. Framing climate change as a human health issue: enough to tip the scale in climate policy? *Lancet Planet Health* 2021;5(8):e553–9.
- 39 Eckelman MJ, Huang K, Lagasse R, *et al.* Health care pollution and public health damage in the United States: an update. *Health Aff* 2020;39(12):2071–9.
- 40 Overcash M. A comparison of reusable and disposable perioperative textiles: sustainability state-of-the-art 2012. *Anesth Analg* 2012;114(5):1055–66.
- 41 Siu J, Hill AG, MacCormick AD. Systematic review of reusable versus disposable laparoscopic instruments: costs and safety. *ANZ J Surg* 2017;87(1-2):28–33.
- 42 Alshqaqeeq F, Amin Esmaili M, Overcash M, *et al.* Quantifying hospital services by carbon footprint: a systematic literature review of patient care alternatives. *Resources, Conservation and Recycling* 2020;154(4).
- 43 Herrmann A, Fischer H, Amelung D, *et al.* Household preferences for reducing greenhouse gas emissions in four European high-income countries: does health information matter? A mixed-methods study protocol. *BMC Public Health* 2017;18(1):71.
- 44 Watts N, Adger WN, Agnolucci P, *et al.* Health and climate change: policy responses to protect public health. *Lancet* 2015;386(10006):1861–914.
- 45 Dunphy JL. Healthcare professionals' perspectives on environmental sustainability. *Nurs Ethics* 2014;21(4):414–25.
- 46 Amelung D, Fischer H, Herrmann A, *et al.* Human health as a motivator for climate change mitigation: results from four European high-income countries. *Global Environmental Change* 2019;57(5).
- 47 Global Climate and Health Forum. A call to action on climate and health, 2018. Available: <https://www.klimawandel-gesundheit.de/wp-content/uploads/2019/08/call-to-action-2018-EN.pdf> [Accessed 23 Feb 2021].
- 48 Cardona-Morrell M, Kim J, Turner RM, *et al.* Non-Beneficial treatments in hospital at the end of life: a systematic review on extent of the problem. *Int J Qual Health Care* 2016;28(4):456–69.
- 49 Salas RN, Maibach E, Pencheon D, *et al.* A pathway to net zero emissions for healthcare. *BMJ* 2020;371.
- 50 Diel C. Green Hospital - Lieblingsfarbe Grün 2021. Available: <https://www.wie-is-ume.de/2021-01/green-hospital/> [Accessed 12 Sep 2021].